

### Initial mapping and change history

#### Change history - version 0-6 - 24/01/2012

1. addition of mapping of 008/23 values "o", "q"; 008/29 values of "o", "q" to dcterms:type/rdfs:label=electronic
2. removal of mapping of 800/810/811/830 to dcterms:isPartOf. All 490s mapped to dcterms:isPartOf
3. suppression of display of "Place of publication not identified" and "publisher not identified"
4. Suppression of display of "9999" when it is the value of owl:hasEnd

#### Change history - version 0-5 - 07/10/2011

1. Addition of mapping of 730\$x and 76X-78X\$x to bibo:issn (for the resource to which the described resource is related)
2. Addition of mapping of 76X-78X\$z to bibo:isbn (for the resource to which the described resource is related)
3. Addition of 700\$k and 711\$k in mapping to dcterms:relation
4. Inclusion of mapping of 1st indicator=4 to mapping of 856
5. Correction of output of non-coded data (rda:placeOfPublication and dcterms:language)

#### Change history - version 0-4 - 04/08/2011

1. removal of mapping of 008/06=t to dcterms:dateCopyrighted/value=008/11-14 (limited use of value 008/06 value t)
2. addition of \$k in mapping of 710 to dcterms:relation
3. change in the mapping of 800/810/811/830 as detailed withing mapping table.
4. removal of mapping of 020 to bibo:isbn; replaced by mapping to bibo:isbn10 and bibo:isbn13
5. addition of mapping of 490\$x and 830\$x to bibo:issn (for the series of which the described resource is a part)
6. removal of mapping of 662 to dcterms:spatial (not BL assigned field)

#### Change history - version 0-3-2 - 21/01/2011

1. lowercasing of URN:ISBN and URN:ISSN
2. addition of <rda:place of publication> to carry the MARC country codes (008/15-17)
3. reformulation of statement <dcterms:language>. Referenced with LC's namespace (at id.loc.gov)
4. reformulation of statements including <skos:Concept>. Replaced with rdf:Description and statement <rdf:type rdf:resource="http://www.w3.org/2004/02/skos/core#Concept"/>

MARC field tag	MARC indicator	MARC subfield	Note	RDF/XML	Changes from previous versions
LDR/06=a or t				dcterms:type/rdfs:label=text	
LDR/06=d, f, p or t				dcterms:type/rdfs:label=manuscript	
LDR/07=a or m				dcterms:type/rdfs:label=monographic	
LDR/07=b, i or s				dcterms:type/rdfs:label=continuing	
LDR/07=c				dcterms:type/rdfs:label=collection	
001			preceded by BL MARC organisation code (UK)	dcterms:identifier	
007/00=h and 007/01=d				dcterms:type/rdfs:label=microfilm reel	v0-2: not mapped
007/00=h and 007/01=e				dcterms:type/rdfs:label=microfiche	v0-2: not mapped
007/00=h and 007/01=				dcterms:type/rdfs:label=microform	v0-2: not mapped
008/06=e and LDR/06=d, f, p or t and 008/07-10 not the same as 260\$c				dcterms:created/value=concatenation of 008/07-10 and 008/11-14	
008/06=e and LDR/06 other than d, f, p or t and 008/07-10 not the same 260\$c				dcterms:issued/value=concatenation of 008/07-10 and 008/11-14	
008/06=c, d, i, k, m or u				dc:date owl: Interval owl: hasBeginning owl: Instant owl: inXSDDateTime/value=008/07-10 dc:date owl: Interval owl: hasEnd owl: Instant owl: inXSDDateTime/value=008/11-14	

008/06=q				dc:date owl: Interval owl: hasBeginning owl: Instant owl: inXSDDateTime/value=008/07-10 dc:date owl: Interval owl: hasEnd/value owl: Instant owl: inXSDDateTime/value=008/11-14	
008/15-17				rda:placeOfPublication	
008/23=o, q, s for BK, CR, CF, MU, MM				dcterms:type/rdfs:label= electronic	v0-5: did not include o and q.
008/29=o, q, s for MP, VM				dcterms:type/rdfs:label= electronic	v0-5: did not include o and q v0-2: not mapped
008/35-37			only mapped if there is no 041	dcterms:language (ISO 639-2)	
015		a		dcterms:identifier	
020		a		dcterms:identifier expressed as urn:isbn	
020		a		bibo:isbn10 bibo:isbn13	v0-2: bibo vocab. not included
022		a		dcterms:identifier expressed as urn:issn	
022		a		bibo:issn	v0-2: bibo vocab. not included
041	ind2=blank	a		dcterms:language (ISO 639-2)	
082		a, 2		dcterms:subject + DDC edition number	
100		abcdgjqu		dcterms:creator	v0-2: mapped to dcterms:contributor
110		abcdgnu		dcterms:creator	v0-2: mapped to dcterms:contributor
111		acdegngu		dcterms:creator	v0-2: mapped to dcterms:contributor
130		adfgklmnoprst		dcterms:alternative	
240		adfgklmnoprs		dcterms:alternative	
245		abnp		dcterms:title	

250		a		isbd:P1008 [hasEditionStatement]	v0-2: included English-language label for ISBD property instead of Qname due an issue with ISBD Qnames. Issue has now been resolved.
260		a		isbd:P1016 [hasPlaceOfPublicationProductionDistribution]	v0-2: included English-language label for ISBD property instead of Qname due an issue with ISBD Qnames. Issue has now been resolved.
260		b		dcterms:publisher	
260		c	if LDR/06=d, f, p or t	dcterms:created	
260		c	otherwise	dcterms:issued	
260		g	if LDR/06=d, f, p or t	dcterms:created	
260		g	otherwise	dcterms:issued	
300		a		dcterms:extent	
490	ind1=0	a		dcterms:isPartOf	v0-2: was consistently mapped to dcterms:isPartOf v0-6: always mapped to dcterms:isPartOf
490	ind1=0	x		dcterms:isPartOf/bibo:issn (for the series of which the described resource is a part)	v0-3-2: not mapped

490	ind1=1	a		dcterms:isPartOf	v0-3-2: 800, 810, 811 always mapped v0-4: 490 ind1=1 mapped in preference to 800, 810, 811 v0-6: all 490s mapped instead of 800/810/811/830
490	ind1=1	x		dcterms:isPartOf/bibo:issn (for the series of which the described resource is a part)	v0-3-2: not mapped
500-599			except 505, 506, 510, 516, 520, 521, 538, 540, 546	dcterms:description	
505			a, g, t, r	dcterms:tableOfContents	
506		a, d		dcterms:accessRights	
510		a		dcterms:isReferencedBy	
516		a		dcterms:format	v0-2: not mapped
520		a, b		dcterms:abstract	
521		a		dcterms:audience	
538		a		dcterms:requires	
540		a, d		dcterms:accessRights	
546		a		isbd:P1074 [hasNoteOnLanguage]	v0-2: included English-language label for ISBD property instead of Qname due an issue with ISBD Qnames. Issue has now been resolved.
600	ind2=0	all subfields		dcterms:subject (LCSH)	
600	ind2=2	all subfields		dcterms:subject (MeSH)	
600	otherwise	all subfields		dcterms:subject	
610	ind2=0	all subfields		dcterms:subject (LCSH)	
610	ind2=2	all subfields		dcterms:subject (MeSH)	
610	otherwise	all subfields		dcterms:subject	
611	ind2=0	all subfields		dcterms:subject (LCSH)	

611	ind2=2	all subfields		dcterms:subject (MeSH)	
611	otherwise	all subfields		dcterms:subject	
630	ind2=0	all subfields		dcterms:subject (LCSH)	
630	ind2=2	all subfields		dcterms:subject (MeSH)	
630	otherwise	all subfields		dcterms:subject	
650	ind2=0	all subfields		dcterms:subject (LCSH)	
650	ind2=2	all subfields		dcterms:subject (MeSH)	
650	otherwise	all subfields		dcterms:subject	
651	ind2=0	all subfields		dcterms:subject (LCSH)	
651	ind2=2	all subfields		dcterms:subject (MeSH)	
651	otherwise	all subfields		dcterms:subject	
651	ind2=0	a		dcterms:spatial	v0-2: mapped to dcterms:coverage
653		a		dcterms:subject	
700		abcdqjqu		dcterms:contributor	
700		abcdfghjklmnopqrstu	if there is \$t or \$ k in 700	dcterms:relation	
710		abcdgnu		dcterms:contributor	
710		abcdfghklmnoprstu	if there is \$t or \$k in 710	dcterms:relation	
711		acdegnqu		dcterms:contributor	
711		acdefghklmpqstu	if there is \$t in 711	dcterms:relation	
730		adfgghklmnoprst		dcterms:relation	
730		x		dcterms:relation/bibo:issn (for the resource to which the described resource is related)	v0-4: not mapped
76X-78X		abcdhkmnpst	except 760, 773, 774, 775, 776, 780, 785	dcterms:relation	v0-2: only subfields \$o and \$t mapped
76X-78X		x		dcterms:relation/bibo:issn (for the resource to which the described resource is related)	v0-4: not mapped
76X-78X		z	except 760,762, 777	dcterms:relation/bibo:isbn (for the resource to which the described resource is related)	v0-4: not mapped
760		abcdhmnst		dcterms:isPartOf	v0-2: mapped to dcterms:relation
760		x		dcterms:isPartOf/bibo:issn (for the resource to which the described resource is related)	v0-4: not mapped

773		abdhkmnpqst		dcterms:isPartOf	v0-2: mapped to dcterms:relation
773		x		dcterms:isPartOf/bibo:issn (for the resource to which the described resource is related)	v0-4: not mapped
773		z		dcterms:isPartOf/bibo:isbn (for the resource to which the described resource is related)	v0-4: not mapped
774		abcdhkmnst		dcterms:hasPart	v0-2: mapped to dcterms:relation
774		x		dcterms:hasPart/bibo:issn (for the resource to which the described resource is related)	v0-4: not mapped
774		z		dcterms:hasPartOf/bibo:isbn (for the resource to which the described resource is related)	v0-4: not mapped
775		abcdefhkmnst		dcterms:hasVersion	v0-2: mapped to dcterms:relation
775		x		dcterms:hasVersion/bibo:issn (for the resource to which the described resource is related)	v0-4: not mapped
775		z		dcterms:hasVersion/bibo:isbn (for the resource to which the described resource is related)	v0-4: not mapped
776		abcdhkmnst		dcterms:hasFormat	v-02: only subfields \$o and \$t mapped
776		x		dcterms:hasFormat/bibo:issn (for the resource to which the described resource is related)	v0-4: not mapped
776		z		dcterms:hasFormat/bibo:isbn (for the resource to which the described resource is related)	v0-4: not mapped
780		abcdhkmnst		dcterms:replaces	v-02: only subfields \$o and \$t mapped
780		x		dcterms:replaces/bibo:issn (for the resource to which the described resource is related)	v0-4: not mapped
780		z		dcterms:replaces/bibo:isbn (for the resource to which the described resource is related)	v0-4: not mapped
785		abcdhkmnst		dcterms:isReplacedBy	v-02: only subfields \$o and \$t mapped

785		x		dcterms:isreplacedBy/bibo:issn (for the resource to which the described resource is related)	v0-4: not mapped
785		z		dcterms:isReplacedBy/bibo:isbn (for the resource to which the described resource is related)	v0-4: not mapped
800		abcdefghijklmnopqtstuv		dcterms:isPartOf	v0-2: not mapped v0-4: 490 ind1=1 is mapped for preference v0-6: no longer mapped
810		abcdefghijklmnoprstuv		dcterms:isPartOf	v0-2: not mapped v0-4: 490 ind1=1 is mapped for preference v0-6: no longer mapped
811		acdefgjklnpqrstuv		dcterms:isPartOf	v0-2: not mapped v0-4: 490 ind1=1 is mapped for preference v0-6: no longer mapped
830		abcdefghijklmnoprstv		dcterms:isPartOf	v0-2: not mapped v0-4: mapped in preference to 490 1st ind=1 v0-6: no longer mapped
830		x		bibo:issn (for the series of which the described resource is a part)	
856	ind1=4 ind2=0	u		dcterms:identifier	v0-2: 856\$u was mapped to dcterms:identifier irrespective of the indicator

856	ind1=4 ind2=1 or 2	u		rdfs:seeAlso	v0-2: 856\$u was mapped to dcterms:identifier irrespective of the indicator
-----	-----------------------	---	--	--------------	---